

## REFRIGERATOR GLASS DOOR FCU-370 BL

Introducing our stylish and functional black glass door refrigerator!

This black glass door refrigerator with 1 glass door is ideal for any professional catering establishment, but also for semi-professional or home use. With its modern black design, this refrigerator is not only practical but also a stylish addition to your interior. Thanks to the ventilated cooling system, your drinks are always cooled evenly. The automatic defrost feature saves you time and effort, while the built-in LED lighting perfectly highlights your products. The dimensions are 610x610x1973 mm (LxDxH) – consumption 0.285 kW – capacity 360 liters – temp. +1/+10°C – weight 72 kg.

### Key features:

- **Ventilated cooling:** optimal, even temperature distribution.
- **Automatic defrost:** low maintenance and time-saving.
- **LED lighting:** energy-efficient illumination of the contents.
- **Stylish black design:** adds a modern look to any space.
- **Compact:** fits into any space without compromising on capacity.

Whether you have a café, restaurant or bar, this black glass door refrigerator offers the perfect combination of style and functionality. Order now and keep your drinks cool and well presented!





|                                      |                     |                               |   |
|--------------------------------------|---------------------|-------------------------------|---|
| EAN code                             | 7422242975909       | Width (mm)                    | 610   |
| Depth (mm)                           | 610                 | Height (mm)                   | 1973  |
| Material                             | Powder coated steel | Material interior             | Aluminium                                   |
| Color                                | Black               | Accessories included          | 4 shelves with clips and price card holders |
| Parcel ready                         | No                  | Gross Weight (kg)             | 78  |
| Net weight(kg)                       | 72                  | Voltage (Volt)                | 230   |
| Frequency (Hz)                       | 50                  | Electrical power (kW)         | 0,285                                       |
| Model tabletop/ freestanding/drop-in | Freestanding        | Cooling agent                 | R 290                                       |
| Temperature range (°C)               | +1/+10              | Number of guide pairs         | 43  |
| Number of grids                      | 4                   | Guides distance (mm)          | 90  |
| Max. grid load (kg)                  | 30                  | Net Capacity (Ltr)            | 360   |
| Dim. interior WxDxH (mm)             | 520x480x1497,5      | Operation                     | Knob  |
| Lights                               | Yes, LED            | Type of cooling               | Ventilated                                  |
| Lockable                             | Yes                 | Mobile                        | Yes   |
| Number of doors                      | 1                   | Door left / right hinging     | Right                                       |
| Door reversible                      | No                  | Noise level (dB)              | 55  |
| Defrost                              | Automatic           | Max. ambient temperature (°C) | 32  |
| Insulation thickness (mm)            | 45                  | Energy label                  | C   |
| Power consumption (Kw/24h)           | 3,82                | Brand                         | COMBISTEEL                                  |
| Refrigerant quantity (gr)            | 40                  | Cord length (mm)              | 2600  |
| EPREL ID                             | 1435864             | Plug and play (EU only)       | Yes   |
| Self-closing door                    | Yes                 |                               |   |



**ENERG'**



Combisteel


7455.2104-ECO



**1394** kWh/annum



**0.63** m<sup>2</sup>



2019/2018

