



## REFRIGERATOR 2 GLASS DOORS BLACK INS-1000R BL

Discover our impressive black 438x2105 mm refrigerator with 2 glass doors, specially designed for supermarkets and professional settings!


This black refrigerator features a modern look, self-closing doors, adjustable shelves, and a digital temperature display. The ventilated cooling system ensures efficient cooling, while automatic defrosting minimizes maintenance. The LED lighting optimally illuminates your products, and the heated doors prevent condensation, easily switched on or off. Dimensions: 1253x710x2092 mm (WxDxH) - consumption: 0.33 kW - capacity: 1000 liters - temp.: 0/+10°C - weight: 172 kg.



### Key Features:

- **Ventilated cooling:** for consistent and even temperature.
- **Automatic defrosting:** saves time and maintenance.
- **LED lighting:** illuminates products efficiently and effectively.
- **Door heating:** prevents condensation and can be easily switched on or off.
- **Also available in a freezer version:** ideal for maintaining the same appearance side by side.
- **Lightbox:** equipped with a lightbox for advertising purposes.

Whether you want to showcase soft drinks, dairy products, or other chilled items, this two-door glass refrigerator is the perfect choice for any retail environment. Order today and enhance the appearance and functionality of your store!





EAN code	7435137868804	Width (mm)	1253
Depth (mm)	710	Height (mm)	2092
Material	Powder coated steel	Material interior	Aluminium
Color	Black	Accessories included	4 wielen en 10 roosters met clips en prijskaarthouders
Parcel ready	No	Gross Weight (kg)	202
Net weight(kg)	172	Voltage (Volt)	230
Frequency (Hz)	50	Electrical power (kW)	0,33
Cooling agent	R 290	Temperature range (°C)	0/+10
Number of grids	10	Guides distance (mm)	90
Max. grid load (kg)	30	Net Capacity (Ltr)	1000
Dimensions light box WxH (mm)	1253x280	Dim. interior WxDxH (mm)	1163x545x1569
Lights	Yes, LED	Type of cooling	Ventilated
Lockable	No	Mobile	Yes
Number of doors	2	Door left / right hinging	Left and right hinged
Noise level (dB)	62	Defrost	Automatic
Max. ambient temperature (°C)	38	Insulation thickness (mm)	45
Energy label	B	Power consumption (Kw/24h)	3,54
Brand	COMBISTEEL	Refrigerant quantity (gr)	115
EPREL ID	439032	Plug and play (EU only)	Yes



# ENERG




Combisteel

7455.2405-ECO



**1292** kWh/annum

  
**1.58** m<sup>2</sup>

  
**10°C**  
**-1°C**

2019/2018