

REFRIGERATOR 3 GLASS DOORS BLACK INS-1530R BL



Discover our impressive black refrigerator with 3 glass doors, specially designed for supermarkets and professional settings!

This black refrigerator features a modern look, self-closing doors, adjustable shelves, and a digital temperature display. The ventilated cooling system ensures efficient cooling, while automatic defrosting minimizes maintenance. The LED lighting optimally illuminates your products, and the heated doors prevent condensation, easily switched on or off. Dimensions: 1880x710x2092 mm (WxDxH) - consumption: 0.58 kW - capacity: 1530 liters - temp.: 0/+10°C - weight: 282 kg.

Key Features:

- **Ventilated cooling:** for consistent and even temperature.
- **Automatic defrosting:** saves time and maintenance.
- **LED lighting:** illuminates products efficiently and effectively.
- **Door heating:** prevents condensation and can be easily switched on or off.
- **Also available in a freezer version:** ideal for maintaining the same appearance side by side.
- **Lightbox:** equipped with a lightbox for advertising purposes.

Whether you want to showcase soft drinks, dairy products, or other chilled items, this three-door glass refrigerator is the perfect choice for any retail environment. Order today and enhance the appearance and functionality of your store!





EAN code	7435137868828	Width (mm)	1880
Depth (mm)	710	Height (mm)	2092
Material	Powder coated steel	Material interior	Aluminium
Color	Black	Accessories included	6 wielen en 15 roosters met clips en prijskaarthouders
Parcel ready	No	Gross Weight (kg)	282
Net weight(kg)	242	Voltage (Volt)	230
Frequency (Hz)	50	Electrical power (kW)	0,58
Cooling agent	R 290	Temperature range (°C)	0/+10
Number of grids	15	Guides distance (mm)	90
Max. grid load (kg)	30	Net Capacity (Ltr)	1530
Dimensions light box WxH (mm)	1880x280	Dim. interior WxDxH (mm)	1790x545x1569
Lights	Yes, LED	Type of cooling	Ventilated
Lockable	No	Mobile	Yes
Number of doors	3	Door left / right hinging	Left and right hinged
Noise level (dB)	65	Defrost	Automatic
Max. ambient temperature (°C)	38	Insulation thickness (mm)	45
Energy label	C	Power consumption (Kw/24h)	6,57
Brand	COMBISTEEL	Refrigerant quantity (gr)	135
EPREL ID	625543	Plug and play (EU only)	Yes



ENERG'



Combisteel


7455.2415-ECO



C

2398 kWh/annum

2.38 m²



2019/2018