

## REFRIGERATOR 4 GLASS DOORS INS-2060R

**\*TRANSPORT ON REQUEST\* \*\*Note: there is a higher inrush current, which makes a circuit breaker with type C characteristic necessary.\*\***



**Discover our impressive retail cooler with 4 glass doors, specially designed for supermarkets and professional settings!**

This refrigerator features a modern look, self-closing doors, adjustable shelves, and a digital temperature display. The ventilated cooling system ensures efficient cooling, while automatic defrosting minimizes maintenance. The LED lighting optimally illuminates your products, and the heated doors prevent condensation, easily switched on or off. Dimensions: 2508x710x2092 mm (WxDxH) - consumption: 0.66 kW - capacity: 2060 liters - temp.: 0/+10°C - weight: 320 kg.

### Key Features:

- **Ventilated cooling:** for consistent and even temperature.
- **Automatic defrosting:** saves time and maintenance.
- **LED lighting:** illuminates products efficiently and effectively.
- **Door heating:** prevents condensation and can be easily switched on or off.
- **Also available in a freezer version:** ideal for maintaining the same appearance side by side.
- **Lightbox:** equipped with a lightbox for advertising purposes.

Whether you want to showcase soft drinks, dairy products, or other chilled items, this four-door glass refrigerator is the perfect choice for any retail environment. Order today and enhance the appearance and functionality of your store!



EAN code	7422242997925	Width (mm)	2508
Depth (mm)	710	Height (mm)	2092
Material	Powder coated steel	Material interior	Aluminium
Color	White	Accessories included	8 wielen en 20 roosters met clips en prijskaarthouders
Parcel ready	No	Gross Weight (kg)	410
Net weight(kg)	320	Voltage (Volt)	230
Frequency (Hz)	50	Electrical power (kW)	0,66
Cooling agent	R 290	Temperature range (°C)	0/+10
Number of grids	20	Guides distance (mm)	90
Max. grid load (kg)	30	Net Capacity (Ltr)	2060
Dimensions light box WxH (mm)	?	Dim. interior WxDxH (mm)	2418x545x1569
Lights	Yes, LED	Type of cooling	Ventilated
Lockable	No	Mobile	Yes
Number of doors	4	Door left / right hinging	Left and right hinged
Noise level (dB)	65	Defrost	Automatic
Max. ambient temperature (°C)	38	Insulation thickness (mm)	45
Energy label	C	Power consumption (Kw/24h)	8,77
Brand	COMBISTEEL	Refrigerant quantity (gr)	?
EPREL ID	690283	Plug and play (EU only)	Yes




**ENERG'**



Combisteel

7455.2416-ECO



**C**

**3201** kWh/annum



**3.17** m<sup>2</sup>



2019/2018