

## FREEZER 3 GLASS DOORS BLACK INS-1530F BL

**\*\*Note: there is a higher inrush current, which makes a circuit breaker with type C characteristic necessary.\*\***

Discover our impressive black ~~retail~~ <sup>4-star</sup> freezer with 3 glass doors, specially designed for supermarkets and professional settings!




This black freezer features a modern look, self-closing doors, adjustable shelves, and a digital temperature display. The ventilated cooling system ensures efficient cooling, while automatic defrosting minimizes maintenance. The LED lighting optimally illuminates your products, and the heated doors prevent condensation, easily switched on or off. Dimensions: 1880x710x2092 mm (WxDxH) - consumption: 0.87 kW - capacity: 1480 liters - temp.: -22/-18°C - weight: 275 kg.

### Key Features:

- **Ventilated cooling:** for a constant and even temperature.
- **Automatic defrosting:** saves time and maintenance.
- **LED lighting:** illuminates products efficiently and effectively.
- **Door heating:** prevents condensation and can be easily switched on or off.
- **Also available in a cooler version:** ideal for maintaining the same appearance side by side.
- **Lightbox:** equipped with a lightbox for advertising purposes.

Whether you want to display frozen products, meat, fish, or other frozen food, this triple-door glass freezer is the perfect choice for any retail environment. Order today and enhance the appearance and functionality of your store!





EAN code	7435137868866	Width (mm)	1880
Depth (mm)	710	Height (mm)	2092
Material	Powder coated steel	Material interior	Aluminium
Color	Black	Accessories included	6 wielen
Parcel ready	No	Gross Weight (kg)	300
Net weight(kg)	275	Voltage (Volt)	230
Frequency (Hz)	50	Electrical power (kW)	0,874
Model tabletop/ freestanding/drop-in	Freestanding	Cooling agent	R 290
Temperature range (°C)	-18/-22	Number of grids	15
Guides distance (mm)	90	Max. grid load (kg)	30
Net Capacity (Ltr)	1480	Dimensions light box WxH (mm)	1880x280
Dim. interior WxDxH (mm)	1760x530x1554	Lights	Yes, LED
Type of cooling	Ventilated	Lockable	No
Mobile	Yes	Number of doors	3
Door left / right hinging	Left and right hinged	Noise level (dB)	68
Defrost	Automatic	Max. ambient temperature (°C)	32
Insulation thickness (mm)	60	Energy label	F
Power consumption (Kw/24h)	26.20	Brand	COMBISTEEL
Refrigerant quantity (gr)	100x2	EPREL ID	439028
Plug and play (EU only)	Yes		




**ENERG<sup>+</sup>**



Combisteele

7455.2435




**F**

**12150 kWh/annum**



**1.97 m<sup>2</sup>**



2019/2018