



## **FREEZER 4 GLASS DOORS INS-2060F**

**\*TRANSPORT ON REQUEST\* \*\*Note: there is a higher inrush current, which makes a circuit breaker with type C characteristic necessary.\*\***



### **Introducing the Stylish and Efficient Refrigerator 4 Glass Door INS-2060F!**

Upgrade your kitchen with the sleek and practical INS-2060F Refrigerator, designed to provide the perfect blend of modern aesthetics and superior functionality. This four glass door refrigerator is the ideal solution for keeping your food and beverages fresh while adding a touch of sophistication to your home or business.

#### **Key features:**

- **Four Glass doors:** Elegant and practical, with a clear view of your contents.
- **Spacious interior:** Enough space for all your groceries and beverages.
- **Stylish design:** Sleek silver finish fits any kitchen.
- **Temperature control:** Keep food at the right temperature.
- **Durable:** Built to last.

Upgrade your kitchen or business space with the Combisteel Glass Door Refrigerator and enjoy style, functionality, and energy efficiency. Order today and enhance your cooling experience!



EAN code	7422242997949	Width (mm)	2508
Depth (mm)	710	Height (mm)	2092
Material	Powder coated steel	Material interior	Aluminium
Color	White	Accessories included	8 wielen en 20 roosters met clips en prijskaarthouders
Parcel ready	No	Gross Weight (kg)	500
Voltage (Volt)	230	Frequency (Hz)	50
Electrical power (kW)	1,57	Cooling agent	R 290
Temperature range (°C)	-18/-22	Number of grids	20
Guides distance (mm)	90	Max. grid load (kg)	30
Net Capacity (Ltr)	2060	Dimensions light box WxH (mm)	?
Dim. interior WxDxH (mm)	2388x530x1538	Lights	Yes, LED
Type of cooling	Ventilated	Lockable	No
Mobile	Yes	Number of doors	4
Door left / right hinging	Left and right hinged	Noise level (dB)	68
Defrost	Automatic	Max. ambient temperature (°C)	32
Insulation thickness (mm)	60	Energy label	E
Power consumption (Kw/24h)	39,43	Brand	COMBISTEEL
Refrigerant quantity (gr)	?	EPREL ID	686029
Plug and play (EU only)	Yes		



# ENERG




Combisteel

7455.2440-ECO



**14392** kWh/annum

  
**2.80** m<sup>2</sup>

 **-15°C**  
**-18°C**

2019/2018