

WALL MOUNTED FREEZER UNIT BLACK 3 GLASS DOORS

Discover our modern black wall-mounted freezer unit with 3 glass doors, an excellent solution for storing frozen products in retail environments.



This innovative and stylish black freezer combines two separate compartments: on top, you'll find a ventilated freezer, while the bottom features a static chest freezer. The ventilated upper freezer ensures efficient air circulation and rapid cooling, while the static cooling in the lower section guarantees reliable and even freezing. The glass doors on the upper freezer provide a clear view of the contents, with all your products conveniently at eye level. Maintenance is simplified thanks to the automatic defrost system. The energy-efficient LED lighting beautifully showcases your products, and the design fits seamlessly into any modern space. Dimensions: 2104x890x2110 mm (LxDxH) – power consumption: 1.29 kW – capacity: 546 / 900 liters – temperature: -18°C – weight: 346 kg.

Key features:

- **Ventilated upper freezer:** Ensures efficient air circulation and quick cooling.
- **Static chest freezer at the bottom:** Provides reliable and even freezing of products.
- **LED lighting:** Illuminates the contents in an energy-efficient way.
- **Large capacity:** Offers ample space for a wide range of frozen products.
- **Stylish black design:** adds a modern look to any space.

With this black wall-mounted freezer unit, you'll add a practical and stylish solution to your store. Order today and keep your frozen products at the perfect temperature!




EAN code	7435137869849	Width (mm)	2104
Depth (mm)	890	Height (mm)	2110
Color	Black	Accessories included	Pricecard Holder
Parcel ready	No	Gross Weight (kg)	391
Net weight(kg)	346	Particulars	Top ventilated cooling, bottom static cooling
Voltage (Volt)	230	Frequency (Hz)	50
Electrical power (kW)	1,29	Cooling agent	R 290
Temperature range (°C)	<-18	Number of dividers	4
Number of grids	6	Guides distance (mm)	90
Max. grid load (kg)	18	Gross Capacity (Ltr)	top 546 / bottom 900
Lights	Yes, LED	Type of cooling	Ventilated
Lockable	No	Mobile	No
Number of doors	3	Noise level (dB)	61 top / 61 bottom
Defrost	Automatic	Max. ambient temperature (°C)	25
Insulation thickness (mm)	60	Energy label	E
Power consumption (Kw/24h)	16 top / 10,3 bottom	Brand	COMBISTEEL
Refrigerant quantity (gr)	135+110	EPREL ID	625572
Plug and play (EU only)	Yes		



Combisteel

7455.2535



7227 kWh/annum



1.07 m²




2019/2018



Combisteel

7455.2625-1



3413 kWh/annum



1.15 m²



2019/2018

