

ICECREAM STORAGE FREEZER

Discover our durable stainless steel ice cream storage freezer!



This professional stainless steel ice cream storage freezer is ideal for storing ice in hospitality venues, ice cream parlors, and events. The static cooling with a fan keeps the temperature stable, while manual defrosting ensures easy maintenance and optimal ice preservation. The temperature alarm alerts you to unwanted temperature fluctuations, keeping your ice in perfect condition. The freezer comes with 5 shelves and provides space for 66 five-liter ice containers. Dimensions: 667x895x2020 mm (WxDxH) – Temperature: -15/-25°C – Capacity: 658 liters – Energy consumption: 0.336 kW – Weight: 150 kg.

Features:

- **Static cooling with a fan** – keeps the temperature constant for optimal ice preservation.
- **Manual defrosting** – easy maintenance without additional systems.
- **Space for 66 five-liter ice containers** – large storage capacity for professional use.
- **Temperature alarm** – alerts you to temperature deviations to keep your ice safe.

Whether you serve artisanal ice cream or need a reliable solution for your business, this stainless steel ice cream storage freezer combines functionality with a timeless design. Order now and keep your ice fresh and ready to serve!





EAN code	7435137797739	Width (mm)	667
Depth (mm)	895	Height (mm)	2020
Material	Stainless steel	Material interior	Stainless steel
Color	Stainless steel	Accessories included	5 grids
Parcel ready	No	Gross Weight (kg)	150
Particulars	Pressure valve, supplied with the manual, must be installed at the top rear.	Voltage (Volt)	230
Frequency (Hz)	50	Electrical power (kW)	0,336
Model tabletop/ freestanding/drop-in	Freestanding	Cooling agent	R 290
Capacity in units per time	66X 5LTR	Temperature range (°C)	-15/-25
Number of grids	max. 11 van 535x650mm	Gross Capacity (Ltr)	658
Dim. interior WxDxH (mm)	547x775x1553	Operation	Digital
Temperature display	Yes, digital	Lights	No
Type of cooling	Static with fan	Lockable	Yes
Mobile	Yes	Number of doors	1
Door left / right hinging	Right	Door reversible	No
Defrost	Manual	Max. ambient temperature (°C)	30
Energy label	D	Power consumption (Kw/24h)	8,05
Brand	COMBISTEEL	Refrigerant quantity (gr)	110 / 125
Plug and play (EU only)	Yes		

CombiSteel



