

# Technical specification



## Maxiglass MG3/500G tall bottle cooler

MG3/500G

Maxiglass upright glass door bottle cooler

## Features and benefits

- Adjustable temperature from +2 to +18°C allows the ideal storage of a range of drink types
- Dimmable LED lights create a beautifully illuminated display area, encouraging impulse purchases
- Supplied with environmentally friendly R600a refrigerant as standard
- Innovative flat shelving design ensures no more 'wobbly' bottles, allowing effortless stocking and retrieval of drinks

**Refrigerant**

R600A

**Temperature**

Refrigerator +6°C

**Electrical supply**

220-240V/50/1

**Current (A)**

1.8

**Power (W)**

275

**Refrigerant mass (g)**

62

**Door material**

Anthracite frame, glass

**Finish ext/int**

**Hinge**

Hinged

**Number of sections**

2

**Section configuration**

Left hinge-Right hinge

**System**

Integral

<b>Height (mm)</b>	1800	<b>Climate Class</b>	CC2
<b>Width (mm)</b>	900	<b>Energy grade</b>	F
<b>Depth (mm)</b>	530	<b>EEI</b>	69
<b>Capacity</b>	480 x 330ml bottles	<b>AEC (kWh)</b>	1234
<b>Gross volume (ltr)</b>	468	<b>Energy consumption (kWh/24hr)</b>	3.38
<b>Gross weight (kg)</b>	141	<b>GWP</b>	3
<b>Net weight (kg)</b>	130	<b>Min - max temperature (°C)</b>	+2/+18

## Footnotes

- Height is adjustable from 1800 to 1825mm
- Allow an extra 10mm to the side of the cabinet for optimal airflow
- Depth of the cabinet is excluding handgrip, including power supply connection

Thank you for your interest in this product. We hope you now have everything you need to choose Gamko, however if you have any further questions, please do not hesitate to contact us.

Gamko, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU  
+44 (0)1553 691122 | [sales@foster-gamko.com](mailto:sales@foster-gamko.com) | [www.gamko.com](http://www.gamko.com)

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.