

Technical specification



GF/100LS Glass Froster

GF/100LS

Glass froster

Features and benefits

- Make an eye-catching showpiece of your bottles and glasses
- Ultra-efficient cooling system allows access to frozen glasses within a few minutes
- Fitted as standard with our award-winning +stayclear condenser, revolutionising the efficiency of refrigeration
- Anti condensation technology prevents condensation and provides an attractive display

Refrigerant	R600A	Door material	Anthracite
Temperature	Freezer -14/-10°C	Finish ext/int	Anthracite
Electrical supply	220- 240V/50/1	Maximum number of shelf positions	2
Current (A)	4	Number of sections	1
Power (W)	610	Section configuration	Left hinge
Refrigerant mass (g)	65	System	Integral

Height (mm)	840	Climate Class	N
Width (mm)	600		
Depth (mm)	538		
Gross weight (kg)	52		
Net weight (kg)	48		
Capacity	50 x pint glasses		

Footnotes

- Height is adjustable from 840 to 880mm

Thank you for your interest in this product. We hope you now have everything you need to choose Gamko, however if you have any further questions, please do not hesitate to contact us.

Gamko, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
+44 (0)1553 691122 | sales@foster-gamko.com | www.gamko.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.