



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- ABP03 Branding Plate Kit
- SGE1/BS Bench Stand
- SGE1/WS Wall Stand
- SGE1/FS Floor Stand

PRODUCT FEATURES

- The performance of a Lincat GR3 while delivering a 50% energy saving
- On-demand cooking delivers savings without operational compromise
- Sleep mode to achieve maximum energy savings during quieter periods
- Customisable full power and 50% timers to tailor the grill to your menu and the desired level of energy saving
- 50% power mode keeps the cavity warm for fast recovery
- High-temperature glass covered elements and removable roasting rack and crumb tray, make it effortless to keep clean
- 5 shelf positions to give maximum flexibility for all catering operations
- Plug and play - UK 3 Pin Plug

AIA FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	635 mm
Depth	373 mm
Height	347 mm
Weight	25.9 kg
Clearance Required: Top	500 mm
Clearance Required: Front	1000 mm
Clearance Required: Left Side	300 mm
Clearance Required: Right Side	300 mm

SHIPPING DETAILS

Ship Width	55 cm
Ship Depth	70 cm
Ship Height	49.6 cm
Ship Weight	29 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM

PRODUCT CERTIFICATIONS



ENERGY Specs

Primary Energy Source Type	Electricity
Electrical Amps	12.2
Electrical Voltage	230 Volts
Electrical Watts	2800
Kilowatts	2.8 kW
Electrical Phase	Single

Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Electrical Connection Type	Cord and Plug
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	Yes
Energy Saving	Yes

ADDITIONAL SPECIFICATIONS

Broiler Base Configuration	Not Applicable
Broiler Type	Salamander
Control Type	Electronic, Push Button
Cooking Area Plate Depth	230 mm
Cooking Area Plate Width	410 mm

Heat Location	Top Only
Heat Source Type	Infrared
Legs or Casters	Not Applicable
Number of Heating Zones	1
Number of Shelf Positions	5

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING